HEAVY DUTY CONNECTORS ›
FOR INDUSTRIAL APPLICATIONS

FAST CHECK





GWconnect®

molex®

molex®

MULTIPOLE INDUSTRIAL CONNECTORS AND ALUMINIUM ENCLOSURES › FOR INDUSTRIAL APPLICATIONS

Molex offers a wide range of Heavy Duty Connectors: inserts, enclosures and complementary products of more than 6000 items, using the very best materials in conformity to the international standards and to UL/CSA requirements. The multipole connectors for industrial applications are used in electric and electronic machinery, robots, electric panels, control equipments as well as power, control or signal circuit connectivity.

GWconnect®
Heavy Duty Connectors

The connectors are designed for heavy-duty industrial applications. They are suitable for use with alternate or direct current and facilitate the manufacturing process, installation and maintenance of sectional electric parts in complex machinery. Enclosures are suitable to a variety of industrial installations, being available for standard, harsh and EMC environments. The principal parts are made in die-cast aluminium alloy with a finishing of polyester powder (nickel plated for EMC versions) or in self-extinguishing thermoplastic. Coupling stability and protection against accidental opening are assured by several different locking systems, comprising of monoblock levers in galvanized steel or stainless steel, springs and pegs in stainless steel. Sealing is assured by special gaskets that protect the insert inside the enclosures against dust, water and other aggressive agents. A wide range of plastic and metal cable glands complete the offer, providing complete solutions to customer’s needs.

GWconnect®

Heavy Duty Connectors

Ask for our full range –
more than 6000 items available!

molex®

INSERTS

Size	S-A Series 250 Volt 10 Amps		S-A Series 250 Volt 10 Amps		S-Q 0/5 Series 230/400 Volt 16 Amps		S-D Series 250 Volt 10 Amps		S-D Series 250 Volt 10 Amps	
3A	Male	7203.6101.0 / 93601-0125	Male	7204.6102.0 / 93601-0133	Male	7605.5901.0 / 93601-0436	Male	7107.4101.0 / 93601-0079	Male	7108.4102.0 / 93601-0084
	Female	7203.6001.0 / 93601-0121	Female	7204.6002.0 / 93601-0129	Female	7605.5801.0 / 93601-0435	Female	7107.4001.0 / 93601-0077	Female	7108.4002.0 / 93601-0081
	3 +PE	Screw Terminal	4 +PE	Screw Terminal	5 +PE	Crimp Contacts	7 +PE	Crimp Contacts	8	Crimp Contacts

SINGLE LEVER HOODS & HOUSINGS

Size	TOP Entry	SIDE Entry	Coupler	Bulkhead Mount	Bulkhead Mount ANGLE	SURFACE Mount	COVER Male Insert	COVER Female Insert
3A	Metal 7803.6228.0 / 93601-0682; Plastic 7803.6227.0 / 93601-0680	Metal 7803.6230.0 / 93601-0687; Plastic 7803.6229.0 / 93601-0685	Metal 7803.6232.0 / 93601-0692; Plastic 7803.6231.0 / 93601-0690	Metal 7803.6202.0 / 93601-0616; Plastic 7803.6201.0 / 93601-0614	Metal 7803.6204.0 / 93601-0622; Plastic 7803.6203.0 / 93601-0620	Metal 7803.6226.0 / 93601-0676; Plastic 7803.6225.0 / 93601-0674	Metal 7803.6804.0 / 93601-0710; Plastic 7803.6803.0 / 93601-0708	Metal 7803.6802.0 / 93601-0702; Plastic 7803.6801.0 / 93601-0696
	M 20	M 20	M 20			M 20		



INSERTS

Size	S-QD 8 Series 500 Volt 16 Amps	S-QD 17 Series 250 Volt 10 Amps	S-QD 4/2 Series 460/690 + 250 Volt 4 x 40 Amps + 2 x 10 Amps
32 x 13	Male 7608.5907.0 / 93601-0446; Female 7608.5807.0 / 93601-0445	Male 7617.5911.0 / 93601-0450; Female 7617.5811.0 / 93601-0449	Male 7606.5915.0 / 93601-0438; Female 7606.5815.0 / 93601-0437
	8 +PE	17 +PE	4+2 +PE
	Crimp Contacts	Crimp Contacts	Crimp Contacts

SINGLE LEVER HOODS & HOUSINGS

Size	DIA cable mm	TOP Entry	DIA cable mm	SIDE Entry	DIA cable mm	COUPLER	DIA cable mm	Bulkhead Ang. + 1 cab. entry	Bulkhead Mount	Bulkhead Mount ANGLE	COVER Male Insert	COVER FEMALE Insert with GASKET
32 x 13	8-14	7908.6646.1 / 93601-4684	8-14	7908.6640.1 / 93601-4682	8-14	7908.6667.1 / 93601-4688	8-14	7908.6663.1 / 93601-4686	7808.6660.1 / 93601-1041	7808.6669.1 / 93601-1051	7808.6666.1 / 93601-1048	7808.6665.1 / 93601-1047
	11-18	7908.6648.1 / 93601-4685	11-18	7908.6643.1 / 93601-4683	11-18	7908.6668.1 / 93601-4689	11-18	7908.6664.1 / 93601-4687				

These enclosures include the relative cable glands



INSERTS

Size	S-A Series 250 Volt 16 Amps		S-D Series 250 Volt 10 Amps	
10A	Male	7210.4411.0 / 93601-0139	Male	7115.4106.0 / 93601-0092
	Female	7210.4401.0 / 93601-0137	Female	7115.4006.0 / 93601-0091
	10 +PE	Screw Terminal / Crimp Contacts	15 +PE	Crimp Contacts
16A	Male	7216.4412.0 / 93601-0147	Male	7125.4112.0 / 93601-0101
	Female	7216.4402.0 / 93601-0143	Female	7125.4012.0 / 93601-0099
	16 +PE	Screw Terminal / Crimp Contacts	25 +PE	Crimp Contacts
32A	Male	7216.4412.0 + .4413.0 / 93601-0147 + 93601-0149	Male	2 x 7125.4112.0 / 2 x 93601-0101
	Female	7216.4402.0 + .4403.0 / 93601-0143 + 93601-0145	Female	2 x 7125.4012.0 / 2 x 93601-0099
		Screw Terminal / Crimp Contacts		Crimp Contacts

SINGLE LEVER HOODS & HOUSINGS

Size	TOP Entry	SIDE Entry	SURFACE Mounting	SURF. Mounting with COVER	BULKHEAD Mounting	COVER	Cover + LEVER
10A	M 20 7810.4550.0 / 93601-1167; M 25 7810.4551.0 / 93601-1170; M 20 HC 7810.4561.5 / 93601-1182; M 25 HC 7810.4562.5 / 93601-1188	M 20 7810.4571.0 / 93601-1206; M 25 7810.4581.5 / 93601-1218; M 20 x2 7810.4582.5 / 93601-1224	M 20 7810.4501.0 / 93601-1126; M 25 7810.4503.0 / 93601-1131; M 20 x2 7810.4502.0 / 93601-1128; M 25 x2 7810.4504.0 / 93601-1133	M 20 7810.4511.0 / 93601-1146; M 25 7810.4513.0 / 93601-1150; M 20 x2 7810.4512.0 / 93601-1148; M 25 x2 7810.4514.0 / 93601-1152	7810.4541.0 / 93601-1162; with COVER 7810.4542.0 / 93601-1165	7810.4591.0 / 93601-1239	7810.4594.0 / 93601-1242
16A	M 20 7816.4555.0 / 93601-2162; M 25 7816.4556.0 / 93601-2165; M 20 HC 7816.4566.5 / 93601-2177; M 25 HC 7816.4567.5 / 93601-2183	M 20 7816.4575.0 / 93601-2201; M 20 HC 7816.4586.5 / 93601-2213; M 25 HC 7816.4587.5 / 93601-2219	M 20 7816.4521.0 / 93601-2121; M 25 7816.4523.0 / 93601-2126; M 20 x2 7816.4522.0 / 93601-2123; M 25 x2 7816.4524.0 / 93601-2128	M 20 7816.4531.0 / 93601-2141; M 25 7816.4533.0 / 93601-2145; M 20 x2 7816.4532.0 / 93601-2143; M 25 x2 7816.4534.0 / 93601-2147	7816.4543.0 / 93601-2157; with COVER 7816.4544.0 / 93601-2160	7816.4592.0 / 93601-2234	7816.4595.0 / 93601-2237

DOUBLE LEVER HOODS & HOUSINGS

TOP Entry	SIDE Entry	SURFACE Mounting	BULKHEAD Mounting	REVERSED 4 Pegs and COVER	REVERSED Top Entry	REVERSED Side Entry	COVER
M 25 7832.4647.0 / 93601-4142		M 25 7832.4600.0 / 93601-4067; M 32 7832.4602.0 / 93601-4072		M 25 7832.4610.0 / 93601-4092; M 32 7832.4612.0 / 93601-4096; M 25 x2 7832.4611.0 / 93601-4094; M 32 x2 7832.4613.0 / 93601-4098	M 25 HC 7832.4656.5 / 93601-4177; M 32 HC 7832.4657.5 / 93601-4181	M 25 HC 7832.4665.5 / 93601-4199; M 32 HC 7832.4666.5 / 93601-4203	4 Pegs 7832.4671.0 / 93601-4213; 4 Pegs 7832.4673.0 For reversed / 93601-4219 For reversed; 2 Levers 7832.4672.0 / 93601-4216; 2 Levers 7832.4674.0 For reversed / 93601-4221 For reversed
M 25 HC 7832.4641.5 / 93601-4121; M 32 HC 7832.4642.5 / 93601-4127	M 25 HC 7832.4651.5 / 93601-4154; M 32 HC 7832.4652.5 / 93601-4160	M 25 x2 7832.4601.0 / 93601-4069; M 32 x2 7832.4603.0 / 93601-4074	with COVER 7832.4631.0 / 93601-4112; 7832.4705.0 / 93601-4227	* 7832.4633.0 / 93601-4115			

Type	«Size»	Housing space for inserts with screw fixing centre distance X;Y (mm)
3A	«21 x 21»	21 x 21
10A	«49 x 16»	49,5 x 16
16A	«66 x 16»	66 x 16
32A	«66 x 40»	66 x 16 (2 inserts)
6B	«44 x 27»	44 x 27
10B	«57 x 27»	57 x 27
16B	«77 x 27»	77,5 x 27
24B	«104 x 27»	104 x 27
32B	«77 x 62»	77,5 x 27 (2 inserts)
48B	«104 x 62»	104 x 27 (2 inserts)
QD	«32 x 13»	32,2 x 13,4

Please find the Molex Standard Order No. (e.g. 93601-1758) underneath each GWconnect Engineering No. (e.g. 7810.6593.0).

Abbreviations PE = Ground HC = High Construction With COVER Thread x2 = Double entry

GWconnect®

Heavy Duty Connectors

Ask for our full range –
more than 6000 items available!

molex®

INSERTS

S-D Series — 250 Volt, 10 Amps

Size					
6B	Male	7124.4140.0	24 +PE	93601-0094	Crimp Contacts
	Female	7124.4040.0		93601-0093	
10B	Male	7142.4146.0	42 +PE	93601-0106	Crimp Contacts
	Female	7142.4046.0		93601-0105	
16B	Male	7140.4118.0	40 +PE	93601-0104	Crimp Contacts
	Female	7140.4018.0		93601-0103	
24B	Male	7164.4124.0	64 +PE	93601-0112	Crimp Contacts
	Female	7164.4024.0		93601-0111	
32B	Male	2 x 7140.4118.0	80 +PE	2 x 93601-0104	Crimp Contacts
	Female	2 x 7140.4018.0		2 x 93601-0103	
48B	Male	2 x 7164.4124.0	128 +PE	2 x 93601-0112	Crimp Contacts
	Female	2 x 7164.4024.0		2 x 93601-0111	

S-DD Series — 250 Volt, 10 Amps

Size					
6B	Male	7124.4140.0	24 +PE	93601-0094	Crimp Contacts
	Female	7124.4040.0		93601-0093	
10B	Male	7142.4146.0	42 +PE	93601-0106	Crimp Contacts
	Female	7142.4046.0		93601-0105	
16B	Male	7172.4152.0	72 +PE	93601-0115	Crimp Contacts
	Female	7172.4052.0		93601-0113	
24B	Male	7108.4158.0	108 +PE	93601-0085	Crimp Contacts
	Female	7108.4058.0		93601-0082	
32B	Male	7172.4152.0 + 7172.4153.0	144 +PE	93601-0115 + 93601-0116	Crimp Contacts
	Female	7172.4052.0 + 7172.4053.0		93601-0113 + 93601-0114	
48B	Male	7108.4158.0 + 7108.4159.0	216 +PE	93601-0085 + 93601-0086	Crimp Contacts
	Female	7108.4058.0 + 7108.4059.0		93601-0082 + 93601-0083	

S-E Series — 500 Volt, 16 Amps

Size					
6B	Male	7306.6103.0	6 +PE	93601-0215	Screw Terminal
	Female	7306.6003.0		93601-0207	
10B	Male	7310.6104.0	10 +PE	93601-0238	Screw Terminal
	Female	7310.6004.0		93601-0231	
16B	Male	7316.6105.0	16 +PE	93601-0273	Screw Terminal
	Female	7316.6005.0		93601-0263	
24B	Male	7324.6107.0	24 +PE	93601-0307	Screw Terminal
	Female	7324.6007.0		93601-0297	
32B	Male	7316.6105.0 + 7316.6106.0	32 +PE	93601-0273 + 93601-0277	Screw Terminal
	Female	7316.6005.0 + 7316.6006.0		93601-0263 + 93601-0267	
48B	Male	7324.6107.0 + 7324.6108.0	48 +PE	93601-0307 + 93601-0311	Screw Terminal
	Female	7324.6007.0 + 7324.6008.0		93601-0297 + 93601-0301	

S-E Series — 500 Volt, 16 Amps

Size					
6B	Male	7306.6161.0	6 +PE	93601-0222	Crimp Contacts
	Female	7306.6061.0		93601-0214	
10B	Male	7310.6162.0	10 +PE	93601-0243	Crimp Contacts
	Female	7310.6062.0		93601-0236	
16B	Male	7316.6163.0	16 +PE	93601-0281	Crimp Contacts
	Female	7316.6063.0		93601-0271	
24B	Male	7324.6165.0	24 +PE	93601-0315	Crimp Contacts
	Female	7324.6065.0		93601-0305	
32B	Male	7316.6163.0 + 7316.6164.0	32 +PE	93601-0281 + 93601-0282	Crimp Contacts
	Female	7316.6063.0 + 7316.6064.0		93601-0271 + 93601-0272	
48B	Male	7324.6165.0 + 7324.6166.0	48 +PE	93601-0315 + 93601-0316	Crimp Contacts
	Female	7324.6065.0 + 7324.6066.0		93601-0305 + 93601-0306	

S-ES Series — 500 Volt, 16 Amps

Size					
6B	Male	7306.5951.0	6 +PE	93601-0205	Spring Terminals
	Female	7306.5851.0		93601-0203	
10B	Male	7310.5952.0	10 +PE	93601-0229	Spring Terminals
	Female	7310.5852.0		93601-0227	
16B	Male	7316.5953.0	16 +PE	93601-0259	Spring Terminals
	Female	7316.5853.0		93601-0255	
24B	Male	7324.5955.0	24 +PE	93601-0293	Spring Terminals
	Female	7324.5855.0		93601-0289	
32B	Male	7316.5953.0 + 7316.5954.0	32 +PE	93601-0259 + 93601-0260	Spring Terminals
	Female	7316.5853.0 + 7316.5854.0		93601-0255 + 93601-0256	
48B	Male	7324.5955.0 + 7324.5956.0	48 +PE	93601-0293 + 93601-0294	Spring Terminals
	Female	7324.5855.0 + 7324.5856.0		93601-0289 + 93601-0290	

S-EP Series — push-in, 500 Volt, 16 Amps

Size					
6B	Male	7306.5961.0	6 +PE	93601-0206	Push-in Terminals
	Female	7306.5861.0		93601-0204	
10B	Male	7310.5962.0	10 +PE	93601-0230	Push-in Terminals
	Female	7310.5862.0		93601-0228	
16B	Male	7316.5963.0	16 +PE	93601-0261	Push-in Terminals
	Female	7316.5863.0		93601-0257	
24B	Male	7324.5965.0	24 +PE	93601-0295	Push-in Terminals
	Female	7324.5865.0		93601-0291	
32B	Male	7316.5963.0 + 7316.5964.0	32 +PE	93601-0261 + 93601-0262	Push-in Terminals
	Female	7316.5863.0 + 7316.5864.0		93601-0257 + 93601-0258	
48B	Male	7324.5965.0 + 7324.5966.0	48 +PE	93601-0295 + 93601-0296	Push-in Terminals
	Female	7324.5865.0 + 7324.5866.0		93601-0291 + 93601-0291	

S-EE Series — 500 Volt, 16 Amps

Size					
6B	Male	7310.6190.0	10 +PE	93601-0244	Crimp Contacts
	Female	7310.6090.0		93601-0237	
10B	Male	7318.6191.0	18 +PE	93601-0284	Crimp Contacts
	Female	7318.6091.0		93601-0283	
16B	Male	7332.6192.0	32 +PE	93601-0321	Crimp Contacts
	Female	7332.6092.0		93601-0318	
24B	Male	7346.6194.0	46 +PE	93601-0329	Crimp Contacts
	Female	7346.6094.0		93601-0327	
32B	Male	7332.6192.0 + 7332.6193.0	64 +PE	93601-0321 + 93601-0322	Crimp Contacts
	Female	7332.6092.0 + 7332.6093.0		93601-0318 + 93601-0319	
48B	Male	7346.6194.0 + 7346.6195.0	92 +PE	93601-0329 + 93601-0330	Crimp Contacts
	Female	7346.6094.0 + 7346.6095.0		93601-0327 + 93601-0328	

S-HSB Series — 830 Volt, 35 Amps

Size					
6B	Male	7306.6141.0	6 +PE	93601-0219	Screw Terminal
	Female	7306.6041.0		93601-0211	
32B	Male	7306.6141.0 + .6142.0	12 +PE	93601-0219 + 93601-0220	Screw Terminal
	Female	7306.6041.0 + .6042.0		93601-0211 + 93601-0212	

S-K Series — 830 Volt, 80 Amps

Size					
6B	Male	7304.6144.0	4 +PE	93601-0198	Screw Terminal
	Female	7304.6044.0		93601-0197	
16B	Male	7304.6144.0	4 +PE	93601-0198	Screw Terminal
	Female	7304.6044.0		93601-0197	

S-K Series — 830 / 500 Volt, 80 + 16 Amps

Size					
6B	Male	7306.6145.0	4+2 +PE	93601-0221	Screw Terminal
	Female	7306.6045.0		93601-0213	
16B	Male	7306.6145.0	4+2 +PE	93601-0221	Screw Terminal
	Female	7306.6045.0		93601-0213	
24B	Male	7312.6143.0	4+8 +PE	93601-0247	Screw Terminal
	Female	7312.6043.0		93601-0245	

SINGLE LEVER HOODS & HOUSINGS

TOP Entry

Size					
6B	M 20	7806.6553.0	M 25	7806.6554.0	93601-0920
			M 25 HC	7806.6449.5	93601-0862
			M 32 HC	7806.6450.5	93601-0868
10B	M 20	7810.6556.0	M 25	7810.6593.0	93601-1758
			M 32 HC	7810.6451.5	93601-1637
			M 40 HC	7810.6452.5	93601-1643
16B	M 25	7816.6558.0	M 32	7816.6547.0	93601-2801
			M 32 HC	7816.6453.5	93601-2667
			M 40 HC	7816.6454.5	93601-2673
24B	M 25	7824.6560.0	M 32	7824.6562.0	93601-3851
			M 32 HC	7824.6455.5	93601-3628
			M 40 HC	7824.6456.5	93601-3634
32B	M 32	7832.7135.5	M 32	7832.6562.5	93601-4425
			M 40	7832.6380.0	93601-4355
			M 40 HC	7832.6381.0	93601-4359
48B	M 32	7848.6566.5	M 32	7848.6567.5	93601-4575
			M 40	7848.6568.5	93601-4579
			M 50	7848.6569.5	93601-4583

SIDE Entry

Size					
6B	M 20	7806.6551.0	M 25	7806.6552.0	93601-0914
			M 25 HC	7806.6491.5	93601-0886
			M 32 HC	7806.6492.5	93601-0892
10B	M 20	7810.6555.0	M 25	7810.6594.0	93601-1761
		93601-1735	M 32 HC	7810.6493.5	93601-1703
			M 40 HC	7810.6494.5	93601-1709
16B	M 25	7816.6557.0	M 32	7816.6549.0	93601-2807
		93601-2813	M 32 HC	7816.6495.5	93601-2761
			M 40 HC	7816.6496.5	93601-2767
24B	M 25	7824.6559.0	M 32	7824.6925.0	93601-3854
		93601-3764	M 32 HC	7824.6497.5	93601-3722
			M 40 HC	7824.6498.5	93601-3728
32B	M 32	7832.7137.5	M 32	7832.6561.5	93601-4421
		93601-4491	M 40	7832.6382.0	93601-4358
			M 40 HC	7832.6383.0	93601-4356
48B	M 32	7848.6563.5	M 32	7848.6564.5	93601-4563
		93601-4559	M 40	7848.6565.5	93601-4567
			M 50	7848.6566.5	93601-4571

SURFACE Mount

Size					
6B	M 20	7806.6351.0	M 25	7806.6352.0	93601-0831
		7806.7151.0	M 32 HC	7806.7152.0	93601-0949
		7806.7153.0	M 40 HC	7806.7154.0	93601-0954
10B	M 20	7810.6353.0	M 25	7810.6354.0	93601-1550
		7810.7160.0	M 32 HC	7810.7161.0	93601-1888
		7810.7162.0	M 40 HC	7810.7163.0	93601-1893
16B	M 25	7816.6355.0	M 25 x2	7816.6356.0	93601-2552
		7816.7169.0	M 32 HC	7816.7170.0	93601-2936
		7816.7171.0	M 40 HC	7816.7172.0	93601-2941
24B	M 25	7824.6357.0	M 25 x2	7824.6358.0	93601-3513
		7824.7178.0	M 32 HC	7824.7179.0	93601-3907
		7824.7180.0	M 40 HC	7824.7181.0	93601-3912
32B	M 32	7832.6380.0	M 32 x2	7832.6381.0	93601-4356
		7832.6359.0	M 50	7832.6360.0	93601-4346
48B	M 32 x2	7848.7429.0	M 40 x2	7848.7430.0	93601-4584
		7848.7431.0	M 50 x2	7848.7432.0	93601-4586

SURF. Mount. w COVER

Size					
6B	M 20	7806.6361.0	M 20 x2	7806.6362.0	93601-0836
		7806.7265.0	M 32 HC	7806.7266.0	93601-0996
		7806.7267.0	M 40 HC	7806.7268.0	93601-0998
10B	M 20	7810.6363.0	M 20 x2	7810.6364.0	93601-1556
		7810.7274.0	M 32 HC	7810.7275.0	93601-1953
		7810.7276.0	M 40 HC	7810.7277.0	93601-1958
16B	M 25	7816.6365.0	M 25 x2	7816.6366.0	93601-2558
		7816.7283.0	M 32 HC	7816.7284.0	93601-3001
		7816.7285.0	M 40 HC	7816.7286.0	93601-3006
24B	M 25	7824.6367.0	M 25 x2	7824.6368.0	93601-3519
		7824.7292.0	M 32 HC	7824.7293.0	93601-3966
		7824.7294.0	M 40 HC	7824.7295.0	93601-3972
32B	M 40	7832.6382.0	M 40 x2	7832.6383.0	93601-4359
		7832.6369.0	M 50 x2	7832.6370.0	93601-4349
48B	M 32 x2	7848.7433.0	M 40 x2	7848.7434.0	93601-4529
		7848.7435.0	M 50 x2	7848.7436.0	93601-4527

Bulkhead

Size					
6B	7806.6401.0	93601-0842			
10B	7810.6403.0	93601-1569			
16B	7816.6405.0	93601-2571			
24B	7824.6407.0	93601-3932			
32B	7832.6409.0	93601-4365			
48B	7848.7440.0	93601-4590			

Coupler

Size					
6B	M 20	7806.6592.0	M 25	7806.6581.0	93601-0923
		93601-0925			
10B	M 25	7810.6582.0	M 32 HC	7810.7008.5	93601-1825
		93601-1751		7810.7009.5	93601-1831
16B	M 25	7816.6583.0	M 32 HC	7816.6462.5	93601-2701
		93601-2829			
	M 25 HC	93601-2695			
24B	M 32	7824.6584.0	M 32 HC	7824.6464.5	93601-3662
		93601-3780			
	M 25 HC	7824.6463.5			
		93601-3656			
32B	M 40 HC	7832.6585.5	93601-4453		
48B					

Cover

Size					
6B	1 Lever	7806.6818.0	2 Pegs	7806.6813.0	93601-0927
		93601-0930			
10B	1 Lever	7810.6819.0	2 Pegs	7810.6814.0	93601-1800
		93601-1802			
16B	1 Lever	7816.6820.0	2 Pegs	7816.6815.0	93601-2890
		93601-2892			
24B	1 Lever	7824.6821.0	2 Pegs	7824.6816.0	93601-3847
		93601-3849			
32B	1 Lever	7832.6822.0	2 Pegs	7832.6817.0	93601-4471
		93601-4473			
48B					

DOUBLE LEVER HOODS & HOUSINGS

TOP Entry

Size					
6B	M 20	7806.6570.0	M 32 HC	7810.6443.5	93601-1619
		93601-1746	M 40 HC	7810.6444.5	93601-1629
10B	M 25	7816.6572.0	M 32 HC	7816.6445.5	93601-2649
		93601-2824	M 40 HC	7816.6446.5	93601-2659
16B	M 25	7824.6574.0	M 32 HC	7824.6445.5	93601-3857
		93601-3775	M 40 HC	7824.6447.5	93601-3610
24B	M 32	7832.6578.5	M 40 HC	7832.6579.5	93601-4445
		93601-4441	M 50 HC	7832.6580.5	93601-4449
32B					
48B					

SIDE Entry

Size					
6B	M 20	7810.6569.0	M 32 HC	7810.6485.5	93601-1685
		93601-1741	M 40 HC	7810.6486.5	93601-1695
10B	M 25	7816.6571.0	M 32 HC	7816.6487.5	93601-2743
		93601-2819	M 40 HC	7816.6488.5	93601-2753
16B	M 25	7824.6573.0	M 32 HC	7824.6489.5	93601-3704
		93601-3770	M 40 HC	7824.6490.5	93601-3714
24B	M 32	7832.6575.5	M 40 HC	7832.6576.5	93601-4433
		93601-4429	M 50 HC	7832.6577.5	93601-4437
32B					
48B					

SURFACE Mount

Size					
6B	M 20	7810.6372.0	M 32 HC	7810.7460.0	93601-1981
		93601-1559	M 32x2 HC	7810.7461.0	93601-1986
		93601-1564	M 40 HC	7810.7462.0	93601-1991
	M 20 x2	7810.6373.0	M 40 x2 HC	7810.7463.0	93601-1996
10B	M 25	7816.6374.0	M 25 HC	7816.6375.0	93601-2566
		93601-2561	M 32 HC	7816.6376.0	93601-2899
	M 25 x2	7816.6377.0	M 32 HC	7816.7469.0	93601-3024
		93601-2904	M 32 x2 HC	7816.7470.0	93601-3029
16B	M 25	7824.6377.0	M 32 HC	7824.7478.0	93601-3987
		93601-3522	M32 x2 HC	7824.7479.0	93601-3992
	M25 x2	7824.6377.0	M40 HC	7824.7480.0	93601-3997
		93601-3527	M40 x2 HC	7824.7481.0	93601-4002
24B	M 32	7832.6578.5	M 40 HC	7832.6579.5	93601-4441
		93601-4361	M 50 HC	7832.6580.5	93601-4449
	M40 x2	7832.6385.0			
		93601-4363			
32B	M50	7832.6378.0			
		93601-4351			
	M50 x2	7832.6379.0			
		93601-4353			
48B					

Bulkhead

Size					
6B	7810.6412.0	93601-1575			
10B					
16B	7816.6413.0	93601-2577			
24B	7824.6414.0	93601-3538			
32B	7832.6415.0	93601-4369			
48B					

Cable-to-cable

Size					
6B	M 20	7810.6598.0	2 Levers	7810.6809.0	
		93601-1774		93601-1797	
	M 25 HC	7810.7003.5	4 Pegs	7810.6805.0	
	M 32 HC	7810.7004.5		93601-1808	
10B	M 25	7816.6587.0	2 Levers	7816.6810.0	
	M 32	7816.6923.0		93601-2887	
		93601-2832			
		93601-2904			
16B	M 25 HC	7816.6457.5	4 Pegs	7816.6806.0	
	M 32 HC	7816.6458.5		93601-2884	
		93601-2680			
		93601-2688			
24B	M 32	7824.6588.0	2 Levers	7824.6811.0	
		93601-3783		93601-3844	
	M 25 HC	7824.6459.5	4 Pegs	7824.6807.0	
	M 32 HC	7824.6460.5		93601-3841	
		93601-3641			
		93601-3649			
32B	M 32 HC	7832.6589.5	2 Levers	7832.6812.0	
		93601-4457		93601-4469	
	M 40 HC	7832.6590.5	4 Pegs	7832.6808.0	
	M 50 HC	7832.6591.5		93601-4467	
		93601-4465			
48B					

Cover

Size					
6B	M 20	7810.6809.0	2 Levers	7810.6809.0	
		93601-1797		93601-1797	
	M 25 HC	7810.7003.5	4 Pegs	7810.6805.0	
	M 32 HC	7810.7004.5		93601-1808	
10B	M 25	7816.6587.0	2 Levers	7816.6810.0	
	M 32	7816.6923.0		93601-2887	
		93601-2832			
		93601-2904			
16B	M 25 HC	7816.6457.5	4 Pegs	7816.6806.0	
	M 32 HC	7816.6458.5		93601-2884	
		93601-2680			
		93601-2688			
24B	M 32	7824.6588.0	2 Levers	7824.6811.0	
		93601-3783		93601-3844	
	M 25 HC	7824.6459.5	4 Pegs	7824.6807.0	
	M 32 HC	7824.6460.5		93601-3841	
		93601-3641			
		93601-3649			
32B	M 32 HC	7832.6589.5	2 Levers	7832.6812.0	
		93601-4457		93601-4469	
	M 40 HC	7832.6590.5	4 Pegs	7832.6808.0	
	M 50 HC	7832.6591.5		93601-4467	
		93601-4465			
48B					

M METRIC

Type	«Size»	Housing space for inserts with screw fixing centre distance X-Y (mm)
3A	«21 x 21»	21 x 21
10A	«49 x 16»	49,5 x 16
16A	«66 x 16»	66 x 16
32A	«66 x 40»	66 x 16 (2 inserts)
6B	«44 x 27»	44 x 27
10B	«57 x 27»	57 x 27
16B	«77 x 27»	77,5 x 27
24B	«104 x 27»	104 x 27
32B	«77 x 62»	77,5 x 27 (2 inserts)
48B	«104 x 62»	104 x 27 (2 inserts)
QD	«32 x 13»	32,2 x 13,4

Please find the Molex Standard Order No. (e.g. 93601-1758) underneath each GWconnect Engineering No. (e.g. 7810.6593.0).



Abbreviations PE = Ground HC = High Construction With COVER Thread x2 = Double entry

www.molex.com/product/gwconnect.html

GWconnect®

Heavy Duty Connectors

Ask for our full range –
more than 6000 items available!

molex®

3A

INSERTS

	S-A Series 250 Volt 10 Amps	S-A Series 250 Volt 10 Amps	S-Q 0/5 Series 230/400 Volt 16 Amps	S-D Series 250 Volt 10 Amps	S-D Series 250 Volt 10 Amps
Male	7203.6101.0 / 93601-0125	7204.6102.0 / 93601-0133	7605.5901.0 / 93601-0436	7107.4101.0 / 93601-0079	7108.4102.0 / 93601-0084
Female	7203.6001.0 / 93601-0121	7204.6002.0 / 93601-0129	7605.5801.0 / 93601-0435	7107.4001.0 / 93601-0077	7108.4002.0 / 93601-0081
	3 +PE	4 +PE	5 +PE	7 +PE	8
	Screw Terminal	Screw Terminal	Crimp Contacts	Crimp Contacts	Crimp Contacts

SINGLE LEVER HOODS & HOUSINGS

TOP Entry	SIDE Entry	Coupler	Bulkhead Mount	Bulkhead Mount ANGLE	SURFACE Mount	COVER Male Insert	COVER Female Insert
Metal 7803.6208.0 / Plastic 7803.6207.0 / 93601-0632	Metal 7803.6210.0 / Plastic 7803.6209.0 / 93601-0637	Metal 7803.6212.0 / Plastic 7803.6211.0 / 93601-0642	Metal 7803.6202.0 / Plastic 7803.6201.0 / 93601-0614	Metal 7803.6204.0 / Plastic 7803.6203.0 / 93601-0620	Metal 7803.6206.0 / Plastic 7803.6205.0 / 93601-0626	Metal 7803.6804.0 / 93601-0710 / Plastic 7803.6803.0 / 93601-0708	Metal 7803.6802.0 / 93601-0702 / Plastic 7803.6801.0 / 93601-0696
Pg 11	Pg 11	Pg 11			Pg 11		



32 x 13

INSERTS

S-QD 8 Series 500 Volt 16 Amps	S-QD 17 Series 250 Volt 10 Amps	S-QD 4/2 Series 460/690 + 250 Volt 4 x 40 Amps + 2 x 10 Amps
Male 7608.5907.0 / 93601-0446	Male 7617.5911.0 / 93601-0450	Male 7606.5915.0 / 93601-0438
Female 7608.5807.0 / 93601-0445	Female 7617.5811.0 / 93601-0449	Female 7606.5815.0 / 93601-0437
8 +PE	17 +PE	4+2 +PE
Crimp Contacts	Crimp Contacts	Crimp Contacts

SINGLE LEVER HOODS & HOUSINGS

DIA cable mm	TOP Entry	DIA cable mm	SIDE Entry	DIA cable mm	COUPLER	DIA cable mm	Bulkhead Ang. + 1 cab. entry	Bulkhead Mount	Bulkhead Mount ANGLE	COVER Male Insert	COVER FEMALE Insert with GASKET
8-14	7908.6646.1 / 93601-4684	8-14	7908.6640.1 / 93601-4682	8-14	7908.6667.1 / 93601-4688	8-14	7908.6663.1 / 93601-4686	7808.6660.1 / 93601-1041	7808.6669.1 / 93601-1051	7808.6666.1 / 93601-1048	7808.6665.1 / 93601-1047
11-18	7908.6648.1 / 93601-4685	11-18	7908.6643.1 / 93601-4683	11-18	7908.6668.1 / 93601-4689	11-18	7908.6664.1 / 93601-4687				

These enclosures include the relative cable glands



10A / 16A / 32A

INSERTS

	S-A Series 250 Volt 16 Amps		S-D Series 250 Volt 10 Amps	
	10A	16A	10A	16A
Male	7210.4411.0 / 93601-0139	7216.4412.0 / 93601-0147	7115.4106.0 / 93601-0092	7125.4112.0 / 93601-0101
Female	7210.4401.0 / 93601-0137	7216.4402.0 / 93601-0143	7115.4006.0 / 93601-0091	7125.4012.0 / 93601-0099
	10 +PE	16 +PE	15 +PE	25 +PE
	Screw Terminal / Crimp Contacts	Screw Terminal / Crimp Contacts	Crimp Contacts	Crimp Contacts
Male	7216.4412.0 + .4413.0 / 93601-0147 + 93601-0149	7216.4462.0 + .4463.0 / 93601-0153+ 93601-0154	2 x 7125.4112.0 / 2 x 93601-0101	
Female	7216.4402.0 + .4403.0 / 93601-0143 + 93601-0145	7216.4452.0 + .4453.0 / 93601-0151 + 93601-0152	2 x 7125.4012.0 / 2 x 93601-0099	
	32 +PE		50 +PE	
	Screw Terminal	Crimp Contacts	Crimp Contacts	

SINGLE LEVER HOODS & HOUSINGS

TOP Entry		SIDE Entry		SURFACE Mounting		SURF. Mounting with COVER		BULKHEAD Mounting		COVER	Cover + LEVER
Pg 13.5	7810.4552.0 / 93601-1173	Pg 16	7810.4573.0 / 93601-1212	Pg 16	7810.4505.0 / 93601-1136	Pg 16	7810.4515.0 / 93601-1154			7810.4591.0	93601-1239 / 7810.4594.0 / 93601-1242
Pg 16	7810.4553.0 / 93601-1176			Pg 21	7810.4507.0 / 93601-1141	Pg 21	7810.4517.0 / 93601-1158				
Pg 16 HC	7810.4563.5 / 93601-1194	Pg 16 HC	7810.4583.5 / 93601-1230	Pg 16 HC x2	7810.4506.0 / 93601-1138	Pg 16 HC x2	7810.4516.0 / 93601-1156		7810.4541.0 / 93601-1162		
Pg 21 HC	7810.4564.5 / 93601-1200	Pg 21 HC	7810.4584.5 / 93601-1236	Pg 21 x2	7810.4508.0 / 93601-1143	Pg 21 x2	7810.4518.0 / 93601-1160	with COVER	7810.4542.0 / 93601-1165		
Pg 13.5	7816.4557.0 / 93601-2168	Pg 16	7816.4577.0 / 93601-2207	Pg 16	7816.4525.0 / 93601-2131	Pg 16	7816.4535.0 / 93601-2149			7816.4592.0	93601-2234 / 7816.4595.0 / 93601-2237
Pg 16	7816.4558.0 / 93601-2171			Pg 21	7816.4527.0 / 93601-2136	Pg 21	7816.4537.0 / 93601-2153				
Pg 16 HC	7816.4568.5 / 93601-2189	Pg 16 HC	7816.4588.5 / 93601-2225	Pg 16 HC x2	7816.4526.0 / 93601-2133	Pg 16 HC x2	7816.4536.0 / 93601-2151		7816.4543.0 / 93601-2157		
Pg 21 HC	7816.4569.5 / 93601-2195	Pg 21 HC	7816.4589.5 / 93601-2231	Pg 21 HC x2	7816.4528.0 / 93601-2138	Pg 21 HC x2	7816.4538.0 / 93601-2155	with COVER	7816.4544.0 / 93601-2160		

DOUBLE LEVER HOODS & HOUSINGS

TOP Entry		SIDE Entry		SURFACE Mounting		BULKHEAD Mounting		REVERSED 4 Pegs and COVER		REVERSED Top Entry		REVERSED Side Entry		COVER	
		Pg 21	7832.4649.0 / 93601-4148	Pg 21	7832.4606.0 / 93601-4082			Pg 21	7832.4616.0 / 93601-4104					4 Pegs	7832.4671.0 / 93601-4213
				Pg 29	7832.4608.0 / 93601-4087			Pg 29	7832.4618.0 / 93601-4108					4 Pegs	7832.4673.0 For reversed / 93601-4219 For reversed
								Pg 21 x2	7832.4617.0 / 93601-4106						
Pg 21 HC	7832.4643.5 / 93601-4133	Pg 21 HC	7832.4653.5 / 93601-4166	Pg 21 x2	7832.4607.0 / 93601-4084		7832.4631.0 / 93601-4112	Pg 29 x2	7832.4619.0 / 93601-4110	Pg 21 HC	7832.4658.5 / 93601-4185	Pg 21 HC	7832.4667.5 / 93601-4207	2 Levers	7832.4672.0 / 93601-4216
Pg 29 HC	7832.4644.5 / 93601-4127	Pg 29 HC	7832.4654.5 / 93601-4172	Pg 29 x2	7832.4609.0 / 93601-4089	with COVER	7832.4705.0 / 93601-4227	*	7832.4633.0 / 93601-4115	Pg 29 HC	7832.4659.5 / 93601-4189	Pg 29 HC	7832.4668.5 / 93601-4211	2 Levers	7832.4674.0 For reversed / 93601-4221 For reversed

Pg

Type	«Size»	Housing space for inserts with screw fixing centre distance X;Y (mm)
3A	«21 x 21»	21 x 21
10A	«49 x 16»	49,5 x 16
16A	«66 x 16»	66 x 16
32A	«66 x 40»	66 x 16 (2 inserts)
6B	«44 x 27»	44 x 27
10B	«57 x 27»	57 x 27
16B	«77 x 27»	77,5 x 27
24B	«104 x 27»	104 x 27
32B	«77 x 62»	77,5 x 27 (2 inserts)
48B	«104 x 62»	104 x 27 (2 inserts)
QD	«32 x 13»	32,2 x 13,4

Please find the Molex Standard Order No. (e.g. 93601-1758) underneath each GWconnect Engineering No. (e.g. 7810.6593.0).



Abbreviations **PE = Ground** **HC = High Construction** **With COVER** **Thread x2 = Double entry**

GWconnect®

Heavy Duty Connectors

Ask for our full range –
more than 6000 items available!

molex®

INSERTS

S-D Series — 250 Volt, 10 Amps

Size				
6B	Male	7140.4118.0	24 +PE	Crimp Contacts
	Female	93601-0104		
10B	Male	7140.4118.0	40 +PE	Crimp Contacts
	Female	93601-0104		
16B	Male	7164.4124.0	64 +PE	Crimp Contacts
	Female	93601-0112		
24B	Male	2 x 7140.4118.0	80 +PE	Crimp Contacts
	Female	2 x 93601-0104		
32B	Male	2 x 7164.4124.0	128 +PE	Crimp Contacts
	Female	2 x 93601-0112		
48B	Male	2 x 7164.4124.0	128 +PE	Crimp Contacts
	Female	2 x 93601-0112		

S-DD Series — 250 Volt, 10 Amps

Size				
6B	Male	7124.4140.0	24 +PE	Crimp Contacts
	Female	93601-0094		
10B	Male	7142.4146.0	42 +PE	Crimp Contacts
	Female	93601-0106		
16B	Male	7172.4152.0	72 +PE	Crimp Contacts
	Female	93601-0104		
24B	Male	7108.4158.0	108 +PE	Crimp Contacts
	Female	93601-0085		
32B	Male	7172.4152.0 + 7172.4153.0	144 +PE	Crimp Contacts
	Female	93601-0115 + 93601-0116		
48B	Male	7108.4158.0 + 7108.4159.0	216 +PE	Crimp Contacts
	Female	93601-0085 + 93601-0086		

S-E Series — 500 Volt, 16 Amps

Size				
6B	Male	7306.6103.0	6 +PE	Screw Terminal
	Female	93601-0215		
10B	Male	7310.6104.0	10 +PE	Screw Terminal
	Female	93601-0238		
16B	Male	7316.6105.0	16 +PE	Screw Terminal
	Female	93601-0273		
24B	Male	7324.6107.0	24 +PE	Screw Terminal
	Female	93601-0307		
32B	Male	7316.6105.0 + 7316.6106.0	32 +PE	Screw Terminal
	Female	93601-0273 + 93601-0277		
48B	Male	7324.6107.0 + 7324.6108.0	48 +PE	Screw Terminal
	Female	93601-0307 + 93601-0311		

S-E Series — 500 Volt, 16 Amps

Size				
6B	Male	7306.6161.0	6 +PE	Crimp Contacts
	Female	93601-0222		
10B	Male	7310.6162.0	10 +PE	Crimp Contacts
	Female	93601-0243		
16B	Male	7316.6163.0	16 +PE	Crimp Contacts
	Female	93601-0281		
24B	Male	7324.6165.0	24 +PE	Crimp Contacts
	Female	93601-0315		
32B	Male	7316.6163.0 + 7316.6164.0	32 +PE	Crimp Contacts
	Female	93601-0281 + 93601-0282		
48B	Male	7324.6165.0 + 7324.6166.0	48 +PE	Crimp Contacts
	Female	93601-0315 + 93601-0316		

S-ES Series — 500 Volt, 16 Amps

Size				
6B	Male	7306.5951.0	6 +PE	Spring Terminals
	Female	93601-0205		
10B	Male	7310.5952.0	10 +PE	Spring Terminals
	Female	93601-0229		
16B	Male	7316.5953.0	16 +PE	Spring Terminals
	Female	93601-0259		
24B	Male	7324.5955.0	24 +PE	Spring Terminals
	Female	93601-0293		
32B	Male	7316.5953.0 + 7316.5954.0	32 +PE	Spring Terminals
	Female	93601-0259 + 93601-0260		
48B	Male	7324.5955.0 + 7324.5956.0	48 +PE	Spring Terminals
	Female	93601-0293 + 93601-0294		

S-EP Series — 500 Volt, 16 Amps (push-in)

Size				
6B	Male	7306.5961.0	6 +PE	Push-in Terminals
	Female	93601-0206		
10B	Male	7310.5962.0	10 +PE	Push-in Terminals
	Female	93601-0230		
16B	Male	7316.5963.0	16 +PE	Push-in Terminals
	Female	93601-0261		
24B	Male	7324.5965.0	24 +PE	Push-in Terminals
	Female	93601-0295		
32B	Male	7316.5963.0 + 7316.5964.0	32 +PE	Push-in Terminals
	Female	93601-0257 + 93601-0258		
48B	Male	7324.5965.0 + 7324.5966.0	48 +PE	Push-in Terminals
	Female	93601-0295 + 93601-0296		

S-EE Series — 500 Volt, 16 Amps

Size				
6B	Male	7310.6190.0	10 +PE	Crimp Contacts
	Female	93601-0237		
10B	Male	7318.6191.0	18 +PE	Crimp Contacts
	Female	93601-0284		
16B	Male	7332.6192.0	32 +PE	Crimp Contacts
	Female	93601-0321		
24B	Male	7346.6194.0	46 +PE	Crimp Contacts
	Female	93601-0329		
32B	Male	7332.6192.0 + 7332.6193.0	64 +PE	Crimp Contacts
	Female	93601-0321 + 93601-0322		
48B	Male	7346.6194.0 + 7346.6195.0	92 +PE	Crimp Contacts
	Female	93601-0329 + 93601-0330		

S-HSB Series — 830 Volt, 35 Amps

Size				
6B	Male	7306.6141.0	6 +PE	Screw Terminal
	Female	93601-0219		
32B	Male	7306.6141.0 + .6142.0	12 +PE	Screw Terminal
	Female	93601-0219 + 93601-0220		

S-K Series — 830 Volt, 80 Amps

Size				
6B	Male	7304.6144.0	4 +PE	Screw Terminal
	Female	93601-0198		
16B	Male	7304.6144.0	4 +PE	Screw Terminal
	Female	93601-0197		

S-K Series — 830 / 500 Volt, 80 + 16 Amps

Size				
6B	Male	7306.6145.0	4+2 +PE	Screw Terminal (830 V)
	Female	93601-0213		
24B	Male	7312.6143.0	4+8 +PE	Screw Terminal (500 V)
	Female	93601-0245		

SINGLE LEVER HOODS & HOUSINGS

TOP Entry

Size				
6B	Male	7806.6503.0	Pg 13.5	HC
	Female	93601-0901		
10B	Male	7806.6504.0	Pg 16	HC
	Female	93601-0904		
16B	Male	7806.6427.5	Pg 21 HC	HC
	Female	93601-0850		
24B	Male	7806.6428.5	Pg 29 HC	HC
	Female	93601-0856		
32B	Male	7832.7134.5	Pg 29	HC
	Female	93601-4479		
48B	Male	7848.6516.5	Pg 29	HC
	Female	93601-4547		

SIDE Entry

Size				
6B	Male	7806.6501.0	Pg 13.5	HC
	Female	93601-0895		
10B	Male	7806.6502.0	Pg 16	HC
	Female	93601-0898		
16B	Male	7806.6477.5	Pg 21 HC	HC
	Female	93601-0874		
24B	Male	7806.6478.5	Pg 29 HC	HC
	Female	93601-0880		
32B	Male	7832.7136.5	Pg 36	HC
	Female	93601-4487		
48B	Male	7848.6513.5	Pg 29	HC
	Female	93601-4535		

SURFACE Mount

Size				
6B	Male	7806.6301.0	Pg 16	HC
	Female	93601-0816		
10B	Male	7806.6302.0	Pg 16 x2	HC
	Female	93601-0819		
16B	Male	7806.7155.0	Pg 21 HC	HC
	Female	93601-0957		
24B	Male	7806.7156.0	PG 21 x2 HC	HC
	Female	93601-0959		
32B	Male	7806.7157.0	Pg 29 HC	HC
	Female	93601-0962		
48B	Male	7806.7158.0	Pg 29 x2 HC	HC
	Female	93601-0964		

SURF. Mount. w COVER

Size				
6B	Male	7806.6311.0	Pg 16	HC
	Female	93601-0822		
10B	Male	7806.6312.0	Pg 16 x2	HC
	Female	93601-0824		
16B	Male	7806.7269.0	Pg 21 HC	HC
	Female	93601-1001		
24B	Male	7806.7270.0	PG 21 x2 HC	HC
	Female	93601-1002		
32B	Male	7806.7271.0	Pg 29 HC	HC
	Female	93601-1004		
48B	Male	7806.7272.0	Pg 29 x2 HC	HC
	Female	93601-1005		

Bulkhead

Size		
6B	Male	7806.6401.0
	Female	93601-0842
10B	Male	7810.6403.0
	Female	93601-1569
16B	Male	7816.6405.0
	Female	93601-2571
24B	Male	7824.6407.0
	Female	93601-3532
32B	Male	7832.6409.0
	Female	93601-4365
48B	Male	7848.7440.0
	Female	93601-4590

Coupler

Size				
6B	Male	7806.6542.0	Pg 13.5	HC
	Female	93601-0909		
10B	Male	7806.6531.0	Pg 16	HC
	Female	93601-0907		
16B	Male	7816.6533.0	Pg 21	HC
	Female	93601-2786		
24B	Male	7816.6439.5	Pg 21 HC	HC
	Female	93601-2635		
32B	Male	7816.6440.5	Pg 29 HC	HC
	Female	93601-2641		
48B	Male	7824.6534.0	Pg 21	HC
	Female	93601-3747		
24B	Male	7824.6442.5	Pg 29 HC	HC
	Female	93601-3602		
32B	Male	7832.6535.5	Pg 36 HC	HC
	Female	93601-4405		

Cover

Size				
6B	Male	7806.6818.0	1 Lever	
	Female	93601-0930		
10B	Male	7806.6813.0	2 Pegs	
	Female	93601-0927		
16B	Male	7816.6820.0	1 Lever	
	Female	93601-2892		
24B	Male	7816.6815.0	2 Pegs	
	Female	93601-2890		
32B	Male	7824.6821.0	1 Lever	
	Female	93601-3849		
48B	Male	7824.6816.0	2 Pegs	
	Female	93601-3847		
32B	Male	7832.6822.0	1 Lever	
	Female	93601-4473		
48B	Male	7832.6817.0	2 Pegs	
	Female	93601-4471		

DOUBLE LEVER HOODS & HOUSINGS

TOP Entry

Size				
6B	Male	7810.6311.0	Pg 16	HC
	Female	93601-0822		
10B	Male	7810.6312.0	Pg 16 x2	HC
	Female	93601-0824		
16B	Male	7810.6313.0	Pg 21 HC	HC
	Female	93601-1531		
24B	Male	7810.6314.0	Pg 29 HC	HC
	Female	93601-1534		
32B	Male	7810.7278.0	Pg 29 x2 HC	HC
	Female	93601-1961		
48B	Male	7810.7279.0	Pg 29 HC	HC
	Female	93601-1963		
32B	Male	7810.7280.0	Pg 29 x2 HC	HC
	Female	93601-1966		
48B	Male	7810.7281.0	Pg 29 x2 HC	HC
	Female	93601-1968		

SIDE Entry

Size				
6B	Male	7810.6303.0	Pg 16	HC
	Female	93601-1525		
10B	Male	7810.6304.0	Pg 16 x2	HC
	Female	93601-1528		
16B	Male	7810.7164.0	Pg 21 HC	HC
	Female	93601-1896		
24B	Male	7810.7165.0	PG 21 x2 HC	HC
	Female	93601-1898		
32B	Male	7810.7166.0	Pg 29 HC	HC
	Female	93601-1901		
48B	Male	7810.7167.0	Pg 29 x2 HC	HC
	Female	93601-1903		

SURFACE Mount

Size				
6B	Male	7810.6322.0	Pg 16	HC
	Female	93601-1537		
10B	Male	7810.6323.0	Pg 16 x2	HC
	Female	93601-1542		
16B	Male	7810.7464.0	Pg 21 HC	HC
	Female	93601-2001		
24B	Male	7810.7465.0	PG 21 x2 HC	HC
	Female	93601-2006		
32B	Male	7810.7466.0	Pg 29 HC	HC
	Female	93601-2011		
48B	Male	7810.7467.0	Pg 29 x2 HC	HC
	Female	93601-2016		

Bulkhead

Size		
6B	Male	7810.6412.0
	Female	93601-1575
16B	Male	7816.6413.0
	Female	93601-2577
24B	Male	7824.6414.0
	Female	93601-3538
32B	Male	7832.6415.0
	Female	93601-4369

Cable-to-cable

Size				
6B	Male	7810.6536.0	2 Levers	7810.6809.0
	Female	93601-1731		93601-1797
10B	Male	7810.7104.5	4 Pegs	7810.6805.0
	Female	93601-1855		93601-1794
16B	Male	7816.6537.0	2 Levers	7816.6810.0
	Female	93601-2789		93601-2887
24B	Male	7816.6435.5	4 Pegs	7816.6806.0
	Female	93601-2620		93601-2884
32B	Male	7824.6811.0	2 Levers	93601-3844
	Female	93601-3500		
48B	Male	7824.6538.0	4 Pegs	93601-3841
	Female	93601-3750		
32B	Male	7832.6812.0	2 Levers	93601-4469
	Female	93601-4409		
48B	Male	7832.6808.0	4 Pegs	93601-4467
	Female	93601-4417		

Cover

Size				
6B	Male	7810.6809.0	2 Levers	93601-1797
	Female	93601-1731		
10B	Male	7810.7104.5	4 Pegs	7810.6805.0
	Female	93601-1855		93601-1794
16B	Male	7816.6810.0	2 Levers	93601-2887
	Female	93601-2789		
24B	Male	7816.6806.0	4 Pegs	93601-2884
	Female	93601-2620		
32B	Male	7824.6811.0	2 Levers	93601-3844
	Female	93601-3500		
48B	Male	7824.6807.0	4 Pegs	93601-3841
	Female	93601-3589		
32B	Male	7832.6812.0	2 Levers	93601-4469
	Female	93601-4409		
48B	Male	7832.6808.0	4 Pegs	93601-4467
	Female	93601-4417		

Pg

Type	«Size»	Housing space for inserts with screw fixing centre distance X:Y (mm)
3A	«21 x 21»	21 x 21
10A	«49 x 16»	49,5 x 16
16A	«66 x 16»	66 x 16
32A	«66 x 40»	66 x 16 (2 inserts)
6B	«44 x 27»	44 x 27
10B	«57 x 27»	57 x 27
16B	«77 x 27»	77,5 x 27
24B	«104 x 27»	104 x 27
32B	«77 x 62»	77,5 x 27 (2 inserts)
48B	«104 x 62»	104 x 27 (2 inserts)
QD	«32 x 13»	32,2 x 13,4

Please find the Molex Standard Order No. (e.g. 93601-1758) underneath each GWconnect Engineering No. (e.g. 7810.6593.0).



Abbreviations PE = Ground HC = High Construction With COVER Thread x2 = Double entry

www.molex.com/product/gwconnect.html

Contacts and Accessories

Wire		10 Amps Crimp Contacts				16 Amps Crimp Contacts				40 Amps Crimp Contacts			
mm²	AWG	Female		Male		Female		Male		Female		Male	
		Silver plated	Gold plated	Silver plated	Gold plated	Silver plated	Gold plated	Silver plated	Gold plated	Silver plated	Gold plated	Silver plated	Gold plated
0.14-0.37	26-22	7100.4201.0	7100.4201.1	7100.4211.0	7100.4211.1	7300.6240.0	7300.6240.1	7300.6237.0	7300.6237.1				
		93601-0039	93601-0040	93601-0051	93601-0052	93601-0171	93601-0172	93601-0165	93601-0166				
0,5	20	7100.4202.0	7100.4202.1	7100.4212.0	7100.4212.1	7300.6241.0	7300.6241.1	7300.6246.0	7300.6246.1				
		93601-0041	93601-0042	93601-0053	93601-0054	93601-0173	93601-0174	93601-0183	93601-0184				
0,75	18	7100.4203.0	7100.4203.1	7100.4213.0	7100.4213.1	7300.6239.0	7300.6239.1	7300.6236.0	7300.6236.1				
		93601-0043	93601-0044	93601-0055	93601-0056	93601-0169	93601-0170	93601-0163	93601-0164				
1,0	17	7100.4204.0	7100.4204.1	7100.4214.0	7100.4214.1	7300.6242.0	7300.6242.1	7300.6247.0	7300.6247.1				
		93601-0045	93601-0046	93601-0057	93601-0058	93601-0175	93601-0176	93601-0185	93601-0186				
1,5	16	7100.4205.0	7100.4205.1	7100.4215.0	7100.4215.1	7300.6243.0	7300.6243.1	7300.6248.0	7300.6248.1	7600.5700.0	7600.5700.1	7600.5710.0	7600.5710.1
		93601-0047	93601-0048	93601-0059	93601-0060	93601-0177	93601-0178	93601-0187	93601-0188	93601-0406	93601-0407	93601-0416	93601-0417
2,5	14	7100.4206.0	7100.4206.1	7100.4216.0	7100.4216.1	7300.6244.0	7300.6244.1	7300.6249.0	7300.6249.1	7600.5701.0	7600.5701.1	7600.5711.0	7600.5711.1
		93601-0049	93601-0050	93601-0061	93601-0062	93601-0179	93601-0180	93601-0189	93601-0190	93601-0408	93601-0409	93601-0418	93601-0419
4,0	12					7300.6245.0	7300.6245.1	7300.6250.0	7300.6250.1	7600.5702.0	7600.5702.1	7600.5712.0	7600.5712.1
						93601-0181	93601-0182	93601-0191	93601-0192	93601-0410	93601-0411	93601-0420	93601-0421
6,0	10									7600.5703.0	7600.5703.1	7600.5713.0	7600.5713.1
										93601-0412	93601-0413	93601-0422	93601-0423

2000 pcs REEL 400 pcs REEL

100 pcs BAG

Wire			10 Amps STAMPED Crimp Contacts for insert S-D, S-DD, S-Q, S-QD series					
mm²	AWG	Packing / Reel	Female			Male		
			Silver plated	Tin plated	Gold plated	Silver plated	Tin plated	Gold plated
0.14-1.0	26-17	100 pcs	7100.4031.0	7100.4031.2	7100.4031.1	7100.4071.0	7100.4071.2	7100.4071.1
			93601-0003	93601-0005	93601-0004	93601-0021	93601-0023	93601-0022
0.14-1.0	26-17	400 pcs	7100.4032.0	7100.4032.2	7100.4032.1	7100.4072.0	7100.4072.2	7100.4072.1
			93601-0006	93601-0008	93601-0007	93601-0024	93601-0026	93601-0025
0.14-1.0	26-17	2000 pcs	7100.4033.0	7100.4033.2	7100.4033.1	7100.4073.0	7100.4073.2	7100.4073.1
			93601-0009	93601-0011	93601-0010	93601-0027	93601-0029	93601-0028
0.75-2.5	18-14	100 pcs	7100.4037.0	7100.4037.2	7100.4037.1	7100.4077.0	7100.4077.2	7100.4077.1
			93601-0012	93601-0014	93601-0013	93601-0030	93601-0032	93601-0031
0.75-2.5	18-14	400 pcs	7100.4038.0	7100.4038.2	7100.4038.1	7100.4078.0	7100.4078.2	7100.4078.1
			93601-0015	93601-0017	93601-0016	93601-0033	93601-0035	93601-0034
0.75-2.5	18-14	2000 pcs	7100.4039.0	7100.4039.2	7100.4039.1	7100.4079.0	7100.4079.2	7100.4079.1
			93601-0018	93601-0020	93601-0019	93601-0036	93601-0038	93601-0037

Crimp Contact Tools

Crimping tool	Crimping tool	Removal tool 10A contacts	Removal tool 16A contacts	Insertion tool 10A contacts for wire Ø 0,14-1,5 mm²
8500.7925.0	8500.6251.0	8500.7940.0	8500.7945.0	8500.7948.0
93605-0073	93605-0065	93605-0079	93605-0083	93605-0084

DIN rail Mounting Kits

for size 6B insertsB	7006.7009.0
	93605-0038
for size 10B inserts	7010.7009.0
	93605-0040
for size 16B inserts	7016.7009.0
	93605-0042
for size 24B inserts	7024.7009.0
	93605-0044
Inserts removal tool	8500.7948.0
	93605-0084

IP66 Cable Glands for RIBBON CABLE

Size	Ribbon Cable Dim. a x b (mm)	
10B	3.8-5.1 x 18-22	7000.7360.0
		93600-0224
10B	3.8-5.1 x 27-32	7000.7361.0
		93600-0225
16B	3.8-5.1 x 42-46	7000.7370.0
		93600-0226
16B	3.8-5.1 x 48-53	7000.7371.0
		93600-0227
24B	3.8-5.1 x 62-66	7000.7380.0
		93600-0228
24B	4.5-5.7 x 72-76	7000.7381.0
		93600-0229

Ask for our full range –
more than 6000 items available!

molex

IP68 Cable Glands with gasket

Type	Cab. Ø mm²	Thread	Grey	Light Grey	Black
Plastic	3 - 6.5	Pg7	7000.7829.0	7000.7829.2	7000.7829.1
			93600-0385	93600-0387	93600-0386
	4 - 8	Pg9	7000.7830.0	7000.7830.2	7000.7830.1
			93600-0391	93600-0393	93600-0392
	5 - 10	Pg11	7000.7831.0	7000.7831.2	7000.7831.1
			93600-0397	93600-0399	93600-0398
	6 - 11	Pg13.5	7000.7832.0	7000.7832.2	7000.7832.1
			93600-0403	93600-0405	93600-0404
	9 - 13	Pg16	7000.7833.0	7000.7833.2	7000.7833.1
			93600-0409	93600-0411	93600-0410
	13 - 18	Pg21	7000.7834.0	7000.7834.2	7000.7834.1
			93600-0415	93600-0417	93600-0416
	17.5 - 25	Pg29	7000.7835.0	7000.7835.2	7000.7835.1
			93600-0421	93600-0423	93600-0422
	22 - 32	Pg36	7000.7836.0	7000.7836.2	7000.7836.1
			93600-0427	93600-0429	93600-0428
	32 - 38	Pg42	7000.7837.0	7000.7837.2	7000.7837.1
			93600-0433	93600-0435	93600-0434
	37 - 44	Pg48	7000.7838.0	7000.7838.2	7000.7838.1
			93600-0439	93600-0441	93600-0440
	3 - 6.5	M12	7000.7821.0	7000.7821.2	7000.7821.1
			93600-0337	93600-0339	93600-0338
	4 - 8	M16	7000.7822.0	7000.7822.2	7000.7822.1
			93600-0343	93600-0345	93600-0344
	7 - 12	M20	7000.7823.0	7000.7823.2	7000.7823.1
			93600-0349	93600-0351	93600-0350
	11 - 18	M25	7000.7824.0	7000.7824.2	7000.7824.1
			93600-0355	93600-0357	93600-0356
	12 - 21	M32	7000.7825.0	7000.7825.2	7000.7825.1
			93600-0361	93600-0363	93600-0362
	22 - 32	M40	7000.7826.0	7000.7826.2	7000.7826.1
			93600-0367	93600-0369	93600-0368
	30 - 38	M50	7000.7827.0	7000.7827.2	7000.7827.1
			93600-0373	93600-0375	93600-0374
	35 - 44	M63	7000.7828.0	7000.7828.2	7000.7828.1
			93600-0379	93600-0381	93600-0380

IP68 Cable Glands w Nut & Gasket

Type	Cab. Ø mm²	Thread	Grey	Light Grey	Black
Plastic	3 - 6.5	Pg7	7000.7829.5	7000.7829.7	7000.7829.6
			93600-0388	93600-0390	93600-0389
	4 - 8	Pg9	7000.7830.5	7000.7830.7	7000.7830.6
			93600-0394	93600-0396	93600-0395
	5 - 10	Pg11	7000.7831.5	7000.7831.7	7000.7831.6
			93600-0400	93600-0402	93600-0401
	6 - 11	Pg13.5	7000.7832.5	7000.7832.7	7000.7832.6
			93600-0406	93600-0408	93600-0407
	9 - 13	Pg16	7000.7833.5	7000.7833.7	7000.7833.6
			93600-0412	93600-0414	93600-0413
	13 - 18	Pg21	7000.7834.5	7000.7834.7	7000.7834.6
			93600-0418	93600-0420	93600-0419
	17.5 - 25	Pg29	7000.7835.5	7000.7835.7	7000.7835.6
			93600-0424	93600-0426	93600-0425
	22 - 32	Pg36	7000.7836.5	7000.7836.7	7000.7836.6
			93600-0430	93600-0432	93600-0431
	32 - 38	Pg42	7000.7837.5	7000.7837.7	7000.7837.6
			93600-0436	93600-0438	93600-0437
	37 - 44	Pg48	7000.7838.5	7000.7838.7	7000.7838.6
			93600-0442	93600-0444	93600-0443
	3 - 6.5	M12	7000.7821.5	7000.7821.7	7000.7821.6
			93600-0340	93600-0342	93600-0341
	4 - 8	M16	7000.7822.5	7000.7822.7	7000.7822.6
			93600-0346	93600-0348	93600-0347
	7 - 12	M20	7000.7823.5	7000.7823.7	7000.7823.6
			93600-0352	93600-0354	93600-0353
	11 - 18	M25	7000.7824.5	7000.7824.7	7000.7824.6
			93600-0358	93600-0360	93600-0359
	12 - 21	M32	7000.7825.5	7000.7825.7	7000.7825.6
			93600-0364	93600-0366	93600-0365
	22 - 32	M40	7000.7826.5	7000.7826.7	7000.7826.6
			93600-0370	93600-0372	93600-0371
	30 - 38	M50	7000.7827.5	7000.7827.7	7000.7827.6
			93600-0376	93600-0378	93600-0377
	35 - 44	M63	7000.7828.5	7000.7828.7	7000.7828.6
			93600-0382	93600-0384	93600-0383

IP68 Cable Glands - 5 bar

Type	Cab. Ø mm²	Thread	
Metal	4 - 10	Pg11	7000.6825.0
			93600-0012
	5 - 12	Pg13.5	7000.6826.0
			93600-0014
	8 - 14	Pg16	7000.6827.0
			93600-0016
	11 - 18	Pg21	7000.6828.0
			93600-0018
	16 - 25	Pg29	7000.6829.0
			93600-0020
	19 - 36	Pg36	7000.6830.0
			93600-0022
	30 - 38	Pg42	7000.6897.0
			93600-0065
	4 - 10	M16	7000.6896.0
			93600-0063
	8 - 14	M20	7000.6831.0
			93600-0024
	11 - 18	M25	7000.6832.0
			93600-0026
	14 - 21	M32	7000.6833.0
			93600-0028
	19 - 28	M40	7000.6834.0
			93600-0030
	24 - 38	M50	7000.6835.0
			93600-0032

IP66 Cable Glands

Type	Cab. Ø mm²	Thread	
Plastic	7 - 12	Pg11	7000.6837.0
			93600-0035
Metal	7 - 12	Pg11	7000.6841.0
			93600-0039
	7 - 12	Pg13.5	7000.6842.0
			93600-0040
	7 - 14.5	Pg16	7000.6843.0
			93600-0041
	9.5 - 18.5	Pg21	7000.6844.0
			93600-0042
	17.5 - 26.5	Pg29	7000.6845.0
			93600-0043
	23.5 - 32.5	Pg36	7000.6846.0
			93600-0044
	29.5 - 38.5	Pg42	7000.6847.0
			93600-0045
Plastic	3.5 - 12.5	M20	7000.6839.0
			93600-0037
Metal	3.5 - 12.5	M20	7000.6848.0
			93600-0046
	7 - 12	M25	7000.6849.0
			93600-0047
	15.5 - 24.5	M32	7000.6850.0
			93600-0048
	22.5 - 31.5	M40	7000.6851.0
			93600-0049
	29.5 - 38.5	M50	7000.6852.0
			93600-0050

Plugs w/Gasket

Thread	
Pg7	7000.7783.0
	93600-0318
Pg9	7000.7784.0
	93600-0319
Pg11	7000.6980.0
	93600-0116
Pg13.5	7000.6981.0
	93600-0117
Pg16	7000.6982.0
	93600-0118
Pg21	7000.6983.0
	93600-0119
Pg29	7000.6984.0
	93600-0120
Pg36	7000.6985.0
	93600-0121
Pg42	7000.6986.0
	93600-0122
Pg48	7000.7786.0
	93600-0321
M12	7000.7780.0
	93600-0316
M16	7000.7781.0
	93600-0317
M20	7000.6975.0
	93600-0111
M25	7000.6976.0
	93600-0112
M32	7000.6977.0
	93600-0113
M40	7000.6978.0
	93600-0114
M50	7000.6979.0
	93600-0115
M63	7000.7785.0
	93600-0320

Metal nuts

Thread	
Pg7	7000.6965.0
	93600-0106
Pg9	7000.6966.0
	93600-0107
Pg11	7000.6957.0
	93600-0098
Pg13.5	7000.6958.0
	93600-0099
Pg16	7000.6959.0
	93600-0100
Pg21	7000.6960.0
	93600-0101
Pg29	7000.6961.0
	93600-0102
Pg36	7000.6962.0
	93600-0103
Pg42	7000.6963.0
	93600-0104
Pg48	7000.6964.0
	93600-0105
M12	7000.6950.0
	93600-0091
M16	7000.6951.0
	93600-0092
M20	7000.6952.0
	93600-0093
M25	7000.6953.0
	93600-0094
M32	7000.6954.0
	93600-0095
M40	7000.6955.0
	93600-0096
M50	7000.6956.0
	93600-0097
M63	7000.6967.0
	93600-0108

Pg to NPT Adapters

Thread	NPT Thread	
Pg11	3/8"	7000.6928.0
		93600-0073
Pg11	1/2"	7000.6929.0
		93600-0074
Pg13.5	1/2"	7000.6930.0
		93600-0075
Pg16	1/2"	7000.6931.0
		93600-0076
Pg21	1/2"	7000.6932.0
		93600-0077
Pg21	3/4"	7000.6933.0
		93600-0078
Pg29	1"	7000.6934.0
		93600-0079
Pg29	1 1/4"	7000.6935.0
		93600-0080
Pg36	1 1/4"	7000.6936.0
		93600-0081
Pg42	1 1/2"	7000.6937.0
		93600-0082
M20	1/2"	7000.6942.0
		93600-0083
M25	1/2"	7000.6943.0
		93600-0084
M25	3/4"	7000.6944.0
		93600-0085
M32	3/4"	7000.6945.0
		93600-0086
M32	1"	7000.6946.0
		93600-0087
M32	1 1/4"	7000.6947.0
		93600-0088
M40	1 1/4"	7000.6948.0
		93600-0089
M50	1 1/4"	7000.6949.0
		93600-0090

Aluminium Diecast Enclosures

8000 Series

8000	S1	S2	S3	S4	S5	S6	S7	S3-HC
Inner (mm)	91 x 91 x 53	128 x 103 x 55	154 x 129 x 58	178 x 155 x 74	239 x 202 x 85	294 x 244 x 114	392 x 298 x 144	154 x 129 x 130,8
Outer (mm)	101 x 101 x 58	138,5 x 113,5 x 61,5	165,5 x 140,5 x 63,5	189 x 167 x 80	252 x 215 x 91	307 x 257 x 120,5	406,5 x 312,5 x 151	165,5 x 140,5 x 136,8
STD/RAL9006	8000.6261.0	8000.6262.0	8000.6263.0	8000.6264.0	8000.6265.0	8000.6266.0	8000.6267.0	8000.6268.0
	93604-0012	93604-0017	93604-0022	93604-0027	93604-0032	93604-0037	93604-0042	93604-0047
STD/RAL7035	8000.6261.2	8000.6262.2	8000.6263.2	8000.6264.2	8000.6265.2	8000.6266.2	8000.6267.2	8000.6268.2
	93604-0014	93604-0019	93604-0024	93604-0029	93604-0034	93604-0039	93604-0044	93604-0049
STD/RAL7037	8000.6261.3	8000.6262.3	8000.6263.3	8000.6264.3	8000.6265.3	8000.6266.3	8000.6267.3	8000.6268.3
	93604-0015	93604-0020	93604-0025	93604-0030	93604-0035	93604-0040	93604-0045	93604-0050
Sanblasted	8000.6281.0	8000.6282.0	8000.6283.0	8000.6284.0	8000.6285.0	8000.6286.0	8000.6287.0	8000.6288.0
	93604-0058	93604-0059	93604-0060	93604-0062	93604-0063	93604-0064	93604-0065	93604-0066
ATEX/RAL7037	8000.6291.0	8000.6292.0	8000.6293.0	8000.6294.0	8000.6295.0	8000.6296.0	8000.6297.0	8000.6298.0
	93604-0067	93604-0068	93604-0069	93604-0070	93604-0071	93604-0072	93604-0073	93604-0074
HE/RAL9005	8000.6261.1	8000.6262.1	8000.6263.1	8000.6264.1	8000.6265.1	8000.6266.1	8000.6267.1	8000.6268.1
	93604-0013	93604-0018	93604-0023	93604-0028	93604-0033	93604-0038	93604-0043	93604-0048

Also available on demand:
Enclosures with customized holes and threads, assemblying of components.

Ask for our full range –
more than 6000 items available!

molex

IP68 Cable Glands with gasket

Type	Cab. Ø mm²	Thread	Grey	Light Grey	Black
Plastic	3 - 6.5	Pg7	7000.7829.0	7000.7829.2	7000.7829.1
			93600-0385	93600-0387	93600-0386
	4 - 8	Pg9	7000.7830.0	7000.7830.2	7000.7830.1
			93600-0391	93600-0393	93600-0392
	5 - 10	Pg11	7000.7831.0	7000.7831.2	7000.7831.1
			93600-0397	93600-0399	93600-0398
	6 - 11	Pg13.5	7000.7832.0	7000.7832.2	7000.7832.1
			93600-0403	93600-0405	93600-0404
	9 - 13	Pg16	7000.7833.0	7000.7833.2	7000.7833.1
			93600-0409	93600-0411	93600-0410
	13 - 18	Pg21	7000.7834.0	7000.7834.2	7000.7834.1
			93600-0415	93600-0417	93600-0416
	17.5 - 25	Pg29	7000.7835.0	7000.7835.2	7000.7835.1
			93600-0421	93600-0423	93600-0422
	22 - 32	Pg36	7000.7836.0	7000.7836.2	7000.7836.1
			93600-0427	93600-0429	93600-0428
	32 - 38	Pg42	7000.7837.0	7000.7837.2	7000.7837.1
			93600-0433	93600-0435	93600-0434
	37 - 44	Pg48	7000.7838.0	7000.7838.2	7000.7838.1
			93600-0439	93600-0441	93600-0440
	3 - 6.5	M12	7000.7821.0	7000.7821.2	7000.7821.1
			93600-0337	93600-0339	93600-0338
	4 - 8	M16	7000.7822.0	7000.7822.2	7000.7822.1
			93600-0343	93600-0345	93600-0344
	7 - 12	M20	7000.7823.0	7000.7823.2	7000.7823.1
			93600-0349	93600-0351	93600-0350
	11 - 18	M25	7000.7824.0	7000.7824.2	7000.7824.1
			93600-0355	93600-0357	93600-0356
	12 - 21	M32	7000.7825.0	7000.7825.2	7000.7825.1
			93600-0361	93600-0363	93600-0362
	22 - 32	M40	7000.7826.0	7000.7826.2	7000.7826.1
			93600-0367	93600-0369	93600-0368
	30 - 38	M50	7000.7827.0	7000.7827.2	7000.7827.1
			93600-0373	93600-0375	93600-0374
	35 - 44	M63	7000.7828.0	7000.7828.2	7000.7828.1
			93600-0379	93600-0381	93600-0380

IP68 Cable Glands w Nut & Gasket

Type	Cab. Ø mm²	Thread	Grey	Light Grey	Black
Plastic	3 - 6.5	Pg7	7000.7829.5	7000.7829.7	7000.7829.6
			93600-0388	93600-0390	93600-0389
	4 - 8	Pg9	7000.7830.5	7000.7830.7	7000.7830.6
			93600-0394	93600-0396	93600-0395
	5 - 10	Pg11	7000.7831.5	7000.7831.7	7000.7831.6
			93600-0400	93600-0402	93600-0401
	6 - 11	Pg13.5	7000.7832.5	7000.7832.7	7000.7832.6
			93600-0406	93600-0408	93600-0407
	9 - 13	Pg16	7000.7833.5	7000.7833.7	7000.7833.6
			93600-0412	93600-0414	93600-0413
	13 - 18	Pg21	7000.7834.5	7000.7834.7	7000.7834.6
			93600-0418	93600-0420	93600-0419
	17.5 - 25	Pg29	7000.7835.5	7000.7835.7	7000.7835.6
			93600-0424	93600-0426	93600-0425
	22 - 32	Pg36	7000.7836.5	7000.7836.7	7000.7836.6
			93600-0430	93600-0432	93600-0431
	32 - 38	Pg42	7000.7837.5	7000.7837.7	7000.7837.6
			93600-0436	93600-0438	93600-0437
	37 - 44	Pg48	7000.7838.5	7000.7838.7	7000.7838.6
			93600-0442	93600-0444	93600-0443
	3 - 6.5	M12	7000.7821.5	7000.7821.7	7000.7821.6
			93600-0340	93600-0342	93600-0341
	4 - 8	M16	7000.7822.5	7000.7822.7	7000.7822.6
			93600-0346	93600-0348	93600-0347
	7 - 12	M20	7000.7823.5	7000.7823.7	7000.7823.6
			93600-0352	93600-0354	93600-0353
	11 - 18	M25	7000.7824.5	7000.7824.7	7000.7824.6
			93600-0358	93600-0360	93600-0359
	12 - 21	M32	7000.7825.5	7000.7825.7	7000.7825.6
			93600-0364	93600-0366	93600-0365
	22 - 32	M40	7000.7826.5	7000.7826.7	7000.7826.6
			93600-0370	93600-0372	93600-0371
	30 - 38	M50	7000.7827.5	7000.7827.7	7000.7827.6
			93600-0376	93600-0378	93600-0377
	35 - 44	M63	7000.7828.5	7000.7828.7	7000.7828.6
			93600-0382	93600-0384	93600-0383

IP68 Cable Glands - 5 bar

Type	Cab. Ø mm²	Thread	
Metal	4 - 10	Pg11	7000.6825.0
			93600-0012
	5 - 12	Pg13.5	7000.6826.0
			93600-0014
	8 - 14	Pg16	7000.6827.0
			93600-0016
	11 - 18	Pg21	7000.6828.0
			93600-0018
	16 - 25	Pg29	7000.6829.0
			93600-0020
	19 - 36	Pg36	7000.6830.0
			93600-0022
	30 - 38	Pg42	7000.6897.0
			93600-0065
	4 - 10	M16	7000.6896.0
			93600-0063
	8 - 14	M20	7000.6831.0
			93600-0024
	11 - 18	M25	7000.6832.0
			93600-0026
	14 - 21	M32	7000.6833.0
			93600-0028
	19 - 28	M40	7000.6834.0
			93600-0030
	24 - 38	M50	7000.6835.0
			93600-0032

IP66 Cable Glands

Type	Cab. Ø mm²	Thread	
Plastic	7 - 12	Pg11	7000.6837.0
			93600-0035
Metal	7 - 12	Pg11	7000.6841.0
			93600-0039
	7 - 12	Pg13.5	7000.6842.0
			93600-0040
	7 - 14.5	Pg16	7000.6843.0
			93600-0041
	9.5 - 18.5	Pg21	7000.6844.0
			93600-0042
	17.5 - 26.5	Pg29	7000.6845.0
			93600-0043
	23.5 - 32.5	Pg36	7000.6846.0
			93600-0044
	29.5 - 38.5	Pg42	7000.6847.0
			93600-0045
Plastic	3.5 - 12.5	M20	7000.6839.0
			93600-0037
Metal	3.5 - 12.5	M20	7000.6848.0
			93600-0046
	7 - 12	M25	7000.6849.0
			93600-0047
	15.5 - 24.5	M32	7000.6850.0
			93600-0048
	22.5 - 31.5	M40	7000.6851.0
			93600-0049
	29.5 - 38.5	M50	7000.6852.0
			93600-0050

Plugs w/Gasket

Thread	
Pg7	7000.7783.0
	93600-0318
Pg9	7000.7784.0
	93600-0319
Pg11	7000.6980.0
	93600-0116
Pg13.5	7000.6981.0
	93600-0117
Pg16	7000.6982.0
	93600-0118
Pg21	7000.6983.0
	93600-0119
Pg29	7000.6984.0
	93600-0120
Pg36	7000.6985.0
	93600-0121
Pg42	7000.6986.0
	93600-0122
Pg48	7000.7786.0
	93600-0321
M12	7000.7780.0
	93600-0316
M16	7000.7781.0
	93600-0317
M20	7000.6975.0
	93600-0111
M25	7000.6976.0
	93600-0112
M32	7000.6977.0
	93600-0113
M40	7000.6978.0
	93600-0114
M50	7000.6979.0
	93600-0115
M63	7000.7785.0
	93600-0320

Metal nuts

Thread	
Pg7	7000.6965.0
	93600-0106
Pg9	7000.6966.0
	93600-0107
Pg11	7000.6957.0
	93600-0098
Pg13.5	7000.6958.0
	93600-0099
Pg16	7000.6959.0
	93600-0100
Pg21	7000.6960.0
	93600-0101
Pg29	7000.6961.0
	93600-0102
Pg36	7000.6962.0
	93600-0103
Pg42	7000.6963.0
	93600-0104
Pg48	7000.6964.0
	93600-0105
M12	7000.6950.0
	93600-0091
M16	7000.6951.0
	93600-0092
M20	7000.6952.0
	93600-0093
M25	7000.6953.0
	93600-0094
M32	7000.6954.0
	93600-0095
M40	7000.6955.0
	93600-0096
M50	7000.6956.0
	93600-0097
M63	7000.6967.0
	93600-0108

Pg to NPT Adapters

Thread	NPT Thread	
Pg11	3/8"	7000.6928.0
		93600-0073
Pg11	1/2"	7000.6929.0
		93600-0074
Pg13.5	1/2"	7000.6930.0
		93600-0075
Pg16	1/2"	7000.6931.0
		93600-0076
Pg21	1/2"	7000.6932.0
		93600-0077
Pg21	3/4"	7000.6933.0
		93600-0078
Pg29	1"	7000.6934.0
		93600-0079
Pg29	1 1/4"	7000.6935.0
		93600-0080
Pg36	1 1/4"	7000.6936.0
		93600-0081
Pg42	1 1/2"	7000.6937.0
		93600-0082
M20	1/2"	7000.6942.0
		93600-0083
M25	1/2"	7000.6943.0
		93600-0084
M25	3/4"	7000.6944.0
		93600-0085
M32	3/4"	7000.6945.0
		93600-0086
M32	1"	7000.6946.0
		93600-0087
M32	1 1/4"	7000.6947.0
		93600-0088
M40	1 1/4"	7000.6948.0
		93600-0089
M50	1 1/4"	7000.6949.0
		93600-0090

Get customized insights at: **www.molex.com/product/gwconnect.html**

molex®

one company › a world of innovation

Order No. 987651-1521

Printed in Germany/BD/2014.11

©2014 Molex